



Printing date 03/31/2015 Version Number 1.0 Reviewed on 03/31/2015

# 1 Identification

#### **Product identifier**

Trade name: ECLIPSE FLOOR 200

SDS ID Number: 12939

Relevant identified uses of the substance or mixture and uses advised against

Specialty construction product. Not intended for other uses

**Application of the substance / the mixture** Concrete Admixtures

# Details of the supplier of the safety data sheet

Manufacturer/Supplier:

W.R. Grace & Co. -Conn. 62 Whittemore Avenue Cambridge, MA 02140 USA

Grace Canada, Inc. 294 Clements Road W. Ajax, Ontario L1S 3C6 Canada

#### **Information department:**

Environmental Health & Safety USA: +1-617-876-1400 (24 hours)

+1-800-354-5414 (8AM - 5PM) Not functional within Massachusetts

CAN: 1-905-683-8561 (24 hours)

Emergency telephone number: EHS Department, Kuala Lumpur, Malaysia - Tel. No.: ++603 90746133

Transport Emergency: Chemtrec +1-800-424-9300 (24 hours)

## 2 Composition/information on ingredients

**Chemical characterization: Mixtures** 

Description: Mixture of the substances listed below with additional nonhazardous ingredients.

**Hazardous components:** 

107-41-5 2-methylpentane-2,4-diol

50-100%

Additional information: For the wording of the listed risk phrases refer to section 16.

## 3 Hazard(s) identification

#### Classification of the substance or mixture

Causes skin irritation.

Causes serious eye irritation.

GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).

(Cont. on page 2)

= USGHS

Printing date 03/31/2015 Version Number 1.0 Reviewed on 03/31/2015

### Trade name: ECLIPSE FLOOR 200

(Cont. from page 1)

#### **Hazard pictograms**



## Warning

## **Precautionary statements**

Wear eye protection / face protection.

Wash thoroughly after handling.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If on skin: Wash with plenty of water.

If eye irritation persists: Get medical advice/attention. If skin irritation occurs: Get medical advice/attention.

# NFPA ratings (scale 0 - 4)



Health = 1Fire = 1Reactivity = 0

#### HMIS-ratings (scale 0 - 4)



Health = 2Flammability = 1Reactivity = 0

# 4 First-aid measures

### **General information:**

Get medical advice/attention if you feel unwell.

## **After skin contact:**

Immediately wash contaminated skin with soap or mild detergent and water. If this chemical soaks clothing, immediately remove clothing and wash skin.

#### **After eye contact:**

Rinse opened eye for several minutes under running water.

Seek immediate medical advice.

## **After swallowing:**

Wash out mouth with water

Do not induce vomiting; immediately call for medical help.

Never give anything by mouth to an unconscious person.

# **5** Fire-fighting measures

Special hazards arising from the substance or mixture No further relevant information available.

(Cont. on page 3)

Printing date 03/31/2015 Version Number 1.0 Reviewed on 03/31/2015

Trade name: ECLIPSE FLOOR 200

(Cont. from page 2)

Additional information Collect contaminated fire fighting water separately. It must not enter the sewage system.

## **6** Accidental release measures

# Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

# Methods and material for containment and cleaning up:

Contain and/or absorb spill with inert material (i.e. sand, vermiculite) then place in a suitable container.

Sweep up spilled product into receptacles.

Dispose contaminated material as waste according to section 13 of the SDS.

#### Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

# 7 Handling and storage

# **Handling:**

### Precautions for safe handling

Open and handle receptacle with care.

Prevent formation of aerosols.

Avoid contact with eyes, skin and clothing.

Do not take internally.

Practice good personal hygiene to avoid ingestion.

Use only with adequate ventilation.

Wash clothing before reuse.

FOR PROFESSIONAL USE ONLY. KEEP OUT OF CHILDREN'S REACH.

Avoid contact with skin.

Avoid contact with eyes.

**Information about protection against explosions and fires:** No special measures required.

#### **Storage:**

Information about storage in one common storage facility: No special measures required.

Further information about storage conditions: Keep receptacle tightly sealed.

**Specific end use(s)** No further relevant information available.

# 8 Exposure controls/personal protection

Additional information about design of technical systems: No further data; see item 7.

## Components with limit values that require monitoring at the workplace:

107-41-5 2-methylpentane-2,4-diol

REL (USA) Ceiling limit value: 125 mg/m³, 25 ppm

(Cont. on page 4)

Printing date 03/31/2015 Version Number 1.0 Reviewed on 03/31/2015

Trade name: ECLIPSE FLOOR 200

(Cont. from page 3)

TLV (USA) Ceiling limit value: 121 mg/m³, 25 ppm

**Additional information:** The lists that were valid during the creation were used as basis.

### Personal protective equipment:

## General protective and hygienic measures:

Avoid contact with the eyes and skin.

The usual precautionary measures for handling chemicals should be followed.

#### **Breathing equipment:**

Respiratory protection is not normally required. However, a chemical cartridge respirator with organic vapor cartridge and a prefilter for dusts/mists is required at or above the applicable exposure limits (consult exposure guidelines). If no limits exist, use an approved respirator whenever a vapor or mist is generated or if respiratory irritation occurs. Supplied air respirator (SCBA) is required at exposure levels above the capabilities of a chemical cartridge respirator.

#### **Protection of hands:**

Gloves should be worn to prevent skin contact and should be impermeable and resistant to the product. Rubber or other impervious gloves should be worn to prevent skin contact.

#### Material of gloves

Gloves should be worn to prevent skin contact and should be impermeable and resistant to the product.

#### **Eve protection:**



Safety glasses with side shield protection.

Safety glasses with side shields should be worn to prevent contact due to splashing. Under high vapor mist concentrations, tightly sealed goggles should be worn.



A face shield should also be worn if there is potential exposure to splash or spray.

#### **Body protection:**

Protective work clothing

Use personal protective equipment as required.

Take off contaminated clothing and wash before reuse.

## 9 Physical and chemical properties

#### **General Information Appearance:** Form: Liquid Color: According to product specification Odor: Characteristic **Odour threshold:** Not determined. pH-value (~): Not determined. **Change in condition** Melting point/Melting range: Undetermined. Undetermined. **Boiling point/Boiling range:**

(Cont. on page 5)

Printing date 03/31/2015 Version Number 1.0 Reviewed on 03/31/2015

Trade name: ECLIPSE FLOOR 200

		(Cont. from page 4)		
Flash point:	Not applicable.			
Flammability (solid, gaseous):	Not applicable.			
Decomposition temperature:	Not determined.			
Auto igniting:	Product is not selfigniting.			
Danger of explosion:	Product does not present an explosion hazard.			
Explosion limits:				
Lower:	Not determined.			
Upper:	Not determined.			
<b>VOC Content (max):</b>	Not determined.			
Vapor pressure:	Not determined.			
Density: (~)	Not determined.			
Relative density	Not determined.			
Vapour density	Not determined.			
Evaporation rate	Not determined.			
Solubility in / Miscibility with				
Water:	Not miscible or difficult to mix.			
Partition coefficient (n-octanol/water): Not determined.				
Viscosity:				
Dynamic:	Not determined.			
Kinematic:	Not determined.			
Molecular weight	118.18 g/mol			
<del>-</del>	Not applicable.			
Other information	No further relevant information available.			

# 10 Stability and reactivity

**Thermal decomposition:** No decomposition if used according to specifications.

**Incompatible materials:** No further relevant information available.

Hazardous decomposition products: Carbon monoxide and carbon dioxide

**Additional information:** See section 7 for information on handling, storage and conditions to be avoided.

# 11 Toxicological information

## **Acute toxicity:**

**Primary irritant effect:** 

on the skin: Causes skin irritation.on the eye: Causes serious eye irritation.

Additional toxicological information:

Carcinogenic categories

IARC (International Agency for Research on Cancer) Human Carcinogenicity:

Group 1- Positive, Group 2A- Probable, Group 2B- Possible, Group 3- Not Classifiable

None of the ingredients is listed.

(Cont. on page 6)

Printing date 03/31/2015 Version Number 1.0 Reviewed on 03/31/2015

Trade name: ECLIPSE FLOOR 200

(Cont. from page 5)

NTP (National Toxicology Program)

K-Known to be carcinogenic, R-May reasonably be anticipated to be carcinogenic

None of the ingredients is listed.

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

# 12 Ecological information

Aquatic toxicity: No further relevant information available.

Persistence and degradability No further relevant information available.

Behavior in environmental systems:

Bioaccumulative potential No further relevant information available.

Additional ecological information:

General notes: Not known to be hazardous to water.

# 13 Disposal considerations

Waste treatment methods Comply with Federal, State and local regulations.

**Recommendation:** 



Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

# **Uncleaned packagings:**

Recommendation: Disposal must be made according to official regulations.

14	Trans	port	ım	torm	ation

UN-Number		
DOT, ADR, ADN, IMDG, IATA	Not applicable.	
UN proper shipping name		
DOT, ADR, ADN, IMDG, IATA	Not applicable.	
Transport hazard class(es)		
DOT, ADR, ADN, IMDG, IATA Class	Not applicable.	
Packing group DOT, ADR, IMDG, IATA	Not applicable.	
Environmental hazards:		
Marine pollutant:	No	
Special precautions for user	Not applicable.	
Transport/Additional information: Not classified as a dangerous good for transport by road, rail or air.		

(Cont. on page 7)

Printing date 03/31/2015 Version Number 1.0 Reviewed on 03/31/2015

Trade name: ECLIPSE FLOOR 200

(Cont. from page 6)

DOT

Remarks: Not Regulated.

**UN "Model Regulation":** 

# 15 Regulatory information

**SARA** (Superfund Amendments and Reauthorization Act)

Section 302/304 (extremely hazardous substances):

None of the ingredients is listed.

Section 313 Reportable Ingredients (Chemicals present below reporting threshold are exempt):

None of the ingredients is listed.

SARA Section 312/Tier I & II Hazard Categories:

Health Immediate (acute) Yes Health Delayed (chronic) No Flammable No Reactive No Pressure No

**North America Chemical Inventory Status** 

## TSCA (Toxic Substances Control Act - United States):

All ingredients are listed or exempt from listing unless otherwise noted below.

#### **CEPA (Canadian DSL):**

All ingredients are listed or exempt from listing unless otherwise noted below.

California Proposition 65

Chemicals known to cause cancer:

Ethylene oxide

propylene oxide

Chemicals known to cause reproductive toxicity for females:

75-21-8 Ethylene oxide

Chemicals known to cause reproductive toxicity for males:

75-21-8 Ethylene oxide

Chemicals known to cause developmental toxicity:

75-21-8 Ethylene oxide

**Carcinogenicity Categories** 

**EPA** (Environmental Protection Agency)

None of the ingredients is listed.

TLV-ACGIH (THE American Conference of Governmental Industrial Hygienists)

Human Carcinogen - A1 Confirmed, A2 Suspected, A3 Unknown Relevance, A4 Not Classifiable

None of the ingredients is listed.

NIOSH-Cancer (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

Volatile Organic Compounds (VOC) reported per the Emission Standards.

If no g/L value is provided this product is not subject to above standard.

## 16 Other information

"The data included herein are presented in accordance with various environment, health and safety regulations. It is the responsibility of a recipient of the data to remain currently informed on chemical hazard information, to design

Printing date 03/31/2015 Version Number 1.0 Reviewed on 03/31/2015

Trade name: ECLIPSE FLOOR 200

(Cont. from page 7)

and update its own program and to comply with all national, federal, state and local laws and regulations applicable to safety, occupational health, right-to-know and environmental protection."

# **Department issuing SDS:**

EHS Department, Asia Pacific Region Grace Construction Products SCIP, Canlubang, Calamba City, Laguna Philippines 4028

Tel: ++63 (02) 884-0300, Fax: ++63 (49) 549-7778 **Date of preparation / last revision** 03/31/2015 / -

The first date of preparation 06/05/2014

Number of revision times and the latest revision date  $1.0 \, / \, 03/31/2015$ 

USGHS